

# Openings

## Amarr® Residential Garage Doors



# STEEL

- 3 AMARR ADVANTAGE
- 4 NORTHWOODS
- 6 CLASSICA® FLUSH
- 8 CLASSICA FULL VIEW
- 10 CLASSICA
- 12 CLASSICA & DECORATIVE HARDWARE OPTIONS
- 14 CARRIAGE COURT
- 16 CARRIAGE COURT OPTIONS
- 18 DESIGNER'S CHOICE
- 20 HILLCREST

- 22 HERITAGE®
- 24 OLYMPUS
- 26 LINCOLN
- 28 STEEL OPTIONS
- 30 STEEL CONSTRUCTION
- 32 STEEL SPECIFICATIONS
- 34 AMARR BY DESIGN
- 36 HORIZON
- 38 ALUMINUM OPTIONS
- 40 VISTA
- 42 ALUMINUM SPECIFICATIONS

# ALUMINUM



**Openings.** Open up to a new way of thinking.

The garage. It's more than a way in, or a way out.

Inside it's a parking lot, a gym, a workshop.

Outside, it's an extension of your home, a reflection of your personality, of your individuality.

Whether you prefer steel, wood, or aluminum, rethink what a garage door is, or can be.

Amarr Openings. Open up to the possibilities.



Amarr Classica Tuscany design with Madeira windows in True White

# AMARR ADVANTAGE

## Style and Variety



We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

## Energy Efficiency and Thermal Performance

Maintain the temperature in your garage with an energy efficient garage door. For best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value rating (more heat resistance). We offer a wide range of materials, insulations and door thicknesses to provide the level of energy efficiency you desire. Learn more about the thermal performance of Amarr garage doors at [amarr.com/energy-efficiency](https://amarr.com/energy-efficiency) or on page 31.



## Safety



Garage doors are the largest and heaviest moving object in the home. Amarr garage doors have a patented safety bottom bracket to reduce the risk of serious injuries.

## Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

## Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.

## Made in USA

All Amarr residential and commercial steel and aluminum garage



doors are manufactured in the USA, affirming our commitment to high quality and durability.



Northwoods in Cedar with SlimLine windows

## A M A R R N O R T H W O O D S

The printed horizontal plank design on a ribbed section creates depth, texture and dimension. A perfect complement to modern, mid-century modern, and traditional architectural styles. The multi-hued, digitally printed woodgrain pattern gives a more genuine wood appearance. Available with either traditional or mosaic window placement.

Northwoods in Aspen Gray with Long Panel Clear windows



## DESIGNS

RIBBED PANEL (RP)





Dune with SlimLine Windows



Coffee with Short Panel Windows



## NW3138

**Triple-Layer:  
1-3/8" Steel +  
Insulation +  
Steel**



R-value 6.48

## NW3000

**Triple-Layer:  
2" Steel +  
Insulation +  
Steel: 24ga**



R-value 9.05



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

## WINDOWS

See page 30 for complete specifications.

Choose from standard Short Panel or Long Panel windows with color coordinated frames or SlimLine windows with Black frame. See pp. 28-29 for glass and window options.

### SHORT OR LONG PANEL WINDOW FRAMES



CEDAR



DUNE AND COFFEE



ASPEN GRAY



ONYX

### SLIMLINE (All door colors)



Black frame only. Available in Clear, Frost and Dark Tint single-pane or insulated glass.

## COLORS


Pattern may vary from sample shown.



DUNE (DUN)  
Available Fall 2025



CEDAR (CEP)



COFFEE (COF)  
Available Fall 2025



ASPEN GRAY (AGP)



ONYX (ONY)  
Available Fall 2025




## CLASSICA® FLUSH

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home. The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.




### DESIGNS

FLUSH PANEL (FP)






Charcoal Gray with Jardin Windows




Dark Brown with Clear Glass



Sandtone with Thames Windows



True White with Closed Top



Wicker Tan with Frost Glass



## CL3000

**Triple-Layer:  
Steel + Insulation +  
Steel**



R-value 13.35

### Glass Options

Choose single-pane or insulated tempered glass options to best suit your needs.

See pp. 12-13 for glass and window options.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

## COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



TERRATONE (TT)



CHARCOAL GRAY (EF)



DARK BROWN (DN)



BLACK (BL)



See page 29 for more information.

See page 32 for complete specifications.



## CLASSICA<sup>®</sup> FULL VIEW


Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The contemporary design combined with polyurethane insulated steel door provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.

Full View design in Black with Frost glass



## DESIGNS

FULL VIEW (FV)





Full View design with Frost glass in Dark Brown

Black with Dark Tint Glass



Charcoal Gray with Frost Glass




Sandtone with Clear Glass



Dark Brown with Frost Glass



Walnut with Obscure Glass



## CL3000

**Triple-Layer:  
Steel + Insulation + Steel**

Not available in odd heights.

### Designs

Unique three-section tall door with large windows allow maximum natural lighting.

See page 32 for complete specifications.

### Glass Options

Choose single-pane or insulated tempered glass options to best suit your needs.

See pp. 12-13 for glass and window options.

## COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



TERRATONE (TT)



CHARCOAL GRAY (EF)



DARK BROWN (DN)



BLACK (BL)



GOLDEN OAK (OK)



WALNUT (NT)



MAHOGANY (MY)



Amarr® Color Zone

See page 29 for more information.



## CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Unique three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



## DESIGNS


LUCERN (L)




TUSCANY (T)




SANTIAGO (S)




VALENCIA (V)



NORTHAMPTON (N)



BORDEAUX (B)



Not available in  
odd heights.

CORTONA (C)



Not available in  
Arched top.



Northampton design with Madeira windows in Walnut with Canterbury handles and hinges

Northampton with Thames Windows (N10)



Tuscany with Closed Arch (T1)




Lucern with Rhine Windows (L7)



Bordeaux with Closed Square (B2)



Santiago with Seine Windows (S8)



**CL1000**  
Single-Layer:  
Steel

**CL2000**  
Double-Layer:  
Steel + Insulation



**CL3000**  
Triple-Layer:  
Steel + Insulation +  
Steel



R-value 13.35

**Decorative Windows & Hardware**  
Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, add character to your door.

See pp. 12-13 for glass, window, and decorative hardware options.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

## COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



See page 32 for complete specifications.

\* Odd heights not available in CL1000/CL2000.

See page 29 for more information.

# AMARR CLASSICA® & HARDWARE OPTIONS

## TWO-TONE PAINT OPTIONS\*

PANEL	BASE DOOR					
	TRUE WHITE	ALMOND	WICKERTAN	SANDTONE	TERRATONE	CHARCOALGRAY
TRUE WHITE						
ALMOND						
WICKERTAN						
SANDTONE						
TERRATONE						
CHARCOALGRAY						
DARK BROWN						
BLACK						
HUNTERGREEN						
GRAY						

## TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1)



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • BORDEAUX (B2)



CLOSED SQUARE • CORTONA (C2)




DANUBE (4)\*



MADEIRA (5)\*



NILE (6)\*




RHINE (7)\*




SEINE (8)\*



THAMES (10)\*



NO INSERT



JARDIN (75)†



TRELLIS (76)†




\* Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass.

† Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting.

## GLASS OPTIONS

Insulated glass\* available in Clear, Frost and Dark Tint.

\*Price upcharge applies.



CLEAR (C)



OBSCURE (O)\*



FROST (WF)\*



DARK TINT (WD)\*



\*Price upcharge applies.

## DECORATIVE HARDWARE & LOCK

For all collections.

### ALUMINUM

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage<sup>1</sup>, and Hillcrest collections.

9" HANDLES



18" STRAP HINGES WITH CLAVOS\*



11" L-HINGE WITH CLAVOS\*



VERSAILLES

10-1/2" HANDLES†



17" STRAP HINGES WITH CLAVOS\*



3-1/2" RING HANDLES



CANTERBURY

\*Hinges with Clavos not recommended for arched openings. † Not for use with high lift installations.

### STAMPED STEEL

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage<sup>1</sup>, and Hillcrest collections.

11" HANDLES



16" STRAP HINGES



AMARR LOCK

Available for Amarr Heritage<sup>†</sup>, Lincoln, Olympus collections.

11" HANDLES



BLUE RIDGE

ALPINE

### MAGNETIC ABS VINYL

Available for Amarr Classica, Designer's Choice, Heritage<sup>1</sup>, and Hillcrest collections.

12" HANDLES



16" STRAP HINGES



11" HANDLES



18" STRAP HINGES



CASTLE ROCK

MAPLE CREEK

4" RING HANDLES  
(with removable backer plate)



10" tall



5" tall

18" STRAP HINGES



1-3/4" CLAVOS



NOTTINGHAM

CLAVOS

† Traditional designs only.

<sup>1</sup> Carriage house designs only.



## CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

### DESIGNS

#### AVAILABLE WITH WINDOWS

LAURELBAY (LB)



PINETOP (PT)



BRADBERRY (BB)



KENSINGTON (KT)



SEABROOK (SB)



ROSEMONT (RM)



#### NOT AVAILABLE WITH WINDOWS

ASHLEY (AL)



CHARLTON (CT)



FAIRFIELD (FF)



MIDDLETON (MT)



GREENBRIAR (GB)



DARBY (DB)



NEWBERRY (NB)




TANGLEWOOD (TW)



ARCADIA (AR)\*



RAVENWOOD (RW)\*



BROOKLAND (BL)\*



MAGNOLIA (MG)\*



\*Closed Square only.




Tanglewood design-with Closed Arch in Wicker Tan/White with Versailles decorative hardware


Rosemont with Closed Square (RM104)




Darby with Closed Square (DB104)




Bradberry with 3 Lite Arch (BB110)



Charlton with Closed Arch (CT105)



Laurelbay with Clear Square (LB115)



## CC4000

**Four-Layer:  
Overlay + Steel +  
Insulation + Steel**



R-value 6.48

### Decorative Windows

Choose from a variety of optional decorative windows & hardware to match your home's design.

See p. 13 for decorative hardware options.  
See p. 16 for window options.

See page 32 for complete specifications.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

## WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

# AMARR CARRIAGE COURT OPTIONS

## TOP SECTIONS

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT AND SEABROOK with CLEAR, OBSCURE\* or INSULATED\* GLASS


CLOSED SQUARE (104)



CLOSED ARCH (105)



CLEAR SQUARE (115)



CLEAR ARCH (114)




3 LITE SQUARE (106)



3 LITE ARCH (110)



4 LITE SQUARE (107)



4 LITE ARCH (111)



6 LITE SQUARE (112)



6 LITE ARCH (108)



8 LITE SQUARE (113)



8 LITE ARCH (109)



\*Price upcharge applies.

Available for ARCADIA†, ASHLEY, BROOKLAND†, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA†, MIDDLETON, NEWBERRY, RAVENWOOD† AND TANGLEWOOD

CLOSED SQUARE (104)



CLOSED ARCH (105)



†Closed Square only.


## COLORS

Actual paint colors may vary from samples shown.


TRUE WHITE / WHITE (W1)




ALMOND / WHITE (A1)



SANDTONE / WHITE (S1)



WICKER TAN / WHITE (K1)



Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Painting your garage door voids the warranty.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware



## OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

## WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated\* or Obscure\* glass

\* Price upcharge applies.

## DOOR WIDTHS

Only available in widths shown; not available in odd widths

6' WIDE†



12', 14' & 15' WIDE



8', 9' & 10' WIDE



15'6", 15'8", 16' & 18' WIDE



†Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

## DOOR HEIGHTS

Available in 6'6" - 10' heights in 3" increments‡

7' and 8' TALL



9' TALL



10' TALL



‡ Rosemont not available in 8'3", 8'9", 9'3" and 9'9" door heights; Tanglewood not available in 6'3" and 7'3" door heights.



## DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40<sup>†</sup>, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



## DESIGNS


BEAD BOARD (BB)\*



LONG BEAD BOARD (LPBB)



RECESSED (RE)



\*DC3138 only available in Bead Board design in True White and Color Zone in 8', 9' and 16' wide doors.



Bead Board design with Stockton DecraTrim in True White with Blue Ridge handles and hinges

Bead Board with Cascade DecraTrim (BB23)



Long Bead Board with Stockton DecraTrim (LPBB20)



Recessed (RE)



Bead Board with Victorian DecraGlass (BB54)



Recessed with Moonlite DecraTrim (RE24)



## DC3138\*

1-3/8" Triple-Layer: Steel + Insulation + Steel



R-value 14.46

## DC3200

2" Triple-Layer: Steel + Insulation + Steel



R-value 19.40

## Decorative Windows & Hardware

Choose from DecraTrim inserts or DecraGlass<sup>†</sup> windows to best coordinate with your home.

See page 13 for decorative hardware options, pp. 28-29 for glass and window options.

\*DC3138 only available in Bead Board design in True White and Color Zone in 8', 9' and 16' wide doors.  
<sup>†</sup> True White Bead Board only. U-factor 0.23 / R-value 13.35 for all other panels and colors.  
<sup>‡</sup> Available for DC3200 only.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

## COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



DARK BROWN (DN)



BLACK (BL)



WALNUT (NT)



MAHOGANY (MY)



See page 29 for more information.

DC3138 only available in Bead Board design in True White and Color Zone in 8', 9' and 16' wide doors.

See page 32 for complete specifications.



## HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price.


The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges




## DESIGNS


BEAD BOARD (BB)\*



LONG BEAD BOARD (LPBB)




RECESSED (RE)





Recessed design with Thames DecraTrim in Sandtone with Alpine handles

Long Bead Board (LPBB)



Bead Board with Waterford DecraTrim (BB25)

Recessed with Stockton DecraTrim (RE20)



Bead Board with Cascade DecraTrim (BB23)

Recessed with Frost Glass (REWF)



**HI1000**  
Single-Layer: Steel

**HI2000**  
Double-Layer: Steel + Insulation

HI2000  
U-factor .32  
R-value 6.64

**Decorative Windows & Hardware**  
Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

**HI3138**  
1-3/8" Triple-Layer: Steel + Insulation + Steel

HI3138  
U-factor .27  
R-value 6.48

**HI3000**  
2" Triple-Layer: Steel + Insulation + Steel

HI3000  
U-factor .23  
R-value 9.05

See page 13 for decorative hardware options.  
See pp. 28-29 for glass and window options.

Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

**COLORS**

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.

TRUE WHITE (TW)	ALMOND (AL)	WICKER TAN (WK)	SANDTONE (ST)	TERRATONE (TT)	DARK BROWN (DN)	CHARCOAL GRAY (EF)	BLACK (BL)	
WALNUT (NT)	MAHOGANY (MY)							See page 29 for more information.

See page 30 for complete specifications.



## HERITAGE®

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted. The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.


Long Bead Board design with Moonlite Decratrim in True White with Blue Ridge handles and hinges



### DESIGNS

#### TRADITIONAL


SHORT PANEL (SP)



LONG PANEL (LP)



FLUSH PANEL (FP)\*



RIBBED PANEL (RP)\*



\*Available in HR3000 only.

#### CARRIAGE HOUSE


BEAD BOARD (BB)\*



LONG BEAD BOARD (LPBB)



RECESSED (RE)



### MOSAIC WINDOWS




With Mosaic Window Options for traditional designs, you decide the number and location of windows to create the door design you want. Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations.




Long Panel design in Sandtone with Trellis DecraGlass windows

Flush Panel (FP)\*  
with SlimLine Clear Insulated Windows



Short Panel  
with Short Panel Obscure Windows (SP71)



Long Panel  
with Moonlite DecraTrim (LP24)



Bead Board with  
Mission DecraGlass (BB71)



Recessed with  
Thames DecraTrim (RE30)



**HR1000**  
Single-Layer: Steel

**HR2000**  
Double-Layer:  
Steel +  
Insulation

HR2000



U-factor  
**.43**

R-value 6.64

**HR3000**  
Triple-Layer:  
Steel + Insulation + Steel

HR3000



U-factor  
**.26**

R-value 9.05

**Decorative Windows**  
Choose from DecraGlass,  
DecraTrim window inserts  
or SlimLine windows to  
coordinate with your home.  
SlimLine windows only  
available for HR3000 Flush  
and Ribbed panel designs.











See pp. 28-29 for glass and  
window options.

See page 32 for complete specifications.

 Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

**COLORS**

Actual paint colors may vary from samples shown.  
Price upcharge applies to all colors except True White.

								
TRUE WHITE (TW)	ALMOND (AL)	WICKER TAN (WK)*	SANTONE (ST)	TERRATONE (TT)*	DARK BROWN (DN)	CHARCOAL GRAY (EF)*	BLACK (BL)	
								
WALNUT (NT)	MAHOGANY (MY)							



Amarr® Color Zone

See page 29 for  
more information.

\*Available Summer 2024  
Woodgrain finishes are dual directional for all panel designs.



## OLYMPUS


When it comes to ultimate protection, the Amarr Olympus stands tall. With triple-layer construction and superior insulation R-value of 19.40<sup>†</sup>, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows



### DESIGNS

SHORT PANEL (SP)\*



FLUSH PANEL (FP)\*



Flush Panel available in True White and Color Zone only.

LONG PANEL (LP)



LONG RECESSED (LR)<sup>†</sup>



### MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations. Available in OL3200 only.

\*OL3138 only available in Flush and Short Panel designs in True White and Color Zone in 8', 9' and 16' wide doors.

<sup>†</sup>Available in OL3200 only.



Short Panel design with Stockton DecraTrim in True White

Short Panel with Prairie DecraTrim (SP21)



Long Recessed with Stockton DecraTrim (LR20)



Long Panel with Moonlite DecraTrim (LP24)



Short Panel with Mission DecraGlass (SP71)



Long Panel with Thames DecraTrim (LP30)



**OL3138\***  
**1-3/8" Triple-Layer:**  
**Steel + Insulation + Steel**

OL3138
U-factor <b>.24</b>
R-value 14.46

**OL3200**  
**2" Triple-Layer:**  
**Steel + Insulation + Steel**

OL3200†
U-factor <b>.19</b>
R-value 19.40

**Decorative Windows**  
 Choose from DecraTrim inserts or DecraGlass† windows to best coordinate with your home.  
 See pp. 28–29 for glass and window options.

See page 32 for complete specifications.

\*OL3138 only available in Flush and Short Panel designs in True White and Color Zone in 8', 9' and 16' wide doors.  
 † True White Short and Flush Panel only. U-factor 0.23 / R-value 13.35 for all other panels and colors.  
 ‡ Available for OL3200 only.

Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

**COLORS**

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.

TRUE WHITE (TW)	ALMOND (AL)	WICKER TAN (WK)	SANDTONE (ST)	DARK BROWN (DN)	BLACK (BL)	WALNUT (NT)	MAHOGANY (MY)	Amarr® Color Zone
								See page 29 for more information.

OL3138 only available in Flush and Short Panel designs in True White and Color Zone in 8', 9' and 16' wide doors.



## L I N C O L N

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price.


The Amarr Lincoln. A new tradition of style and value.

Flush Panel design with Frost Mosaic window options in Charcoal Gray




### DESIGNS

SHORT PANEL (SP)




LONG PANEL (LP)



FLUSH PANEL (FP)



RIBBED PANEL (RP)



Ribbed Panel available in L3138 and L3000 only.

### MOSAIC WINDOWS




With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations.



Long Panel design with Stockton DecraTrim in True White

Flush (FP)  
with SlimLine Clear Insulated Windows



Short Panel  
with Victorian DecraGlass (SP54)



Long Panel  
with Cascade DecraTrim (LP23)



Short Panel  
with Prairie DecraTrim (SP21)



Ribbed Panel (RP)  
with Long Panel Clear Windows



**LI1000**  
Single-Layer: Steel

**LI2000**  
Double-Layer: Steel + Insulation

LI2000  
U-factor  
**.32**  
R-value 6.64

**Decorative Windows**  
Choose from DecraTrim window inserts, DecraGlass, or SlimLine windows to coordinate with your home's design. SlimLine windows only available for LI3138/ LI3000 Flush and Ribbed panel designs.

**LI3138**  
1-3/8" Triple-Layer: Steel + Insulation + Steel

LI3138  
U-factor  
**.27**  
R-value 6.48

**LI3000**  
2" Triple-Layer: Steel + Insulation + Steel

LI3000  
U-factor  
**.23**  
R-value 9.05

See pp. 28-29 for glass and window options.

See page 30 for complete specifications.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

**COLORS**

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



\* Available in LI1000/LI2000 Flush Panel with Stucco texture.  
† Available in LI1000/LI2000 Flush Panel with Stucco texture – Fall 2025

# STEEL OPTIONS

## GLASS OPTIONS

Insulated glass available in Clear, Frost and Dark Tint.\*

CLEAR (C)



OBSCURE (O)\*



FROST (WF)\*



DARK TINT (WD)\*



\* Price upcharge applies.

## DECRATRIM WINDOW INSERTS

Available with all glass options.

**SHORT PANEL** Available for Amarr Heritage, Lincoln, and Olympus collections.

**LONG PANEL** Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.

CLEAR (C)



STOCKTON (20)



PRAIRIE (21)



CATHEDRAL (22)



CASCADE (23)



WATERFORD (25)



WAGON WHEEL (26)



SUNRAY (27)



FULL SUNRAY (28) Short Panel

Available for 16', 17', and 18' only.



FULL SUNRAY (28) Long Panel

Available for 15', 15' 6", 15' 8", 16', 17', and 18' only.



FIVE PIECE SUNRAY for 10' width doors (29) Available only in True White.



ARCHED THAMES (31)



THAMES (30)



MOONLITE (24)



Visit [amarr.com](http://amarr.com) and access the Amarr Door Designer to view specific designs in various architectural styles.

## DECRA GLASS™ WINDOWS

Tempered obscure glass with baked-on ceramic designs.

### SHORT PANEL

Available for Amarr Heritage, Lincoln, and Olympus collections.

#### HEARTLAND (70)



#### JARDIN (75)



#### MISSION (71)



#### TRELLIS (76)



#### VICTORIAN (54)



### LONG PANEL

Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.



DecraTrim and DecraGlass design visibility varies due to lighting.

## SLIMLINE WINDOWS



SlimLine window size is the same width and half the height of a standard Long Panel window.

Available in black or white frames only. Available for Heritage HR3000, Lincoln LI3138/LI3000 Flush and Ribbed Panel designs only, Northwoods NW3138/NW3000 (Black frame only). Available in Clear, Frost and Dark Tint single-pane or insulated glass.

## MOSAIC WINDOW OPTIONS

**The choice is yours.** Add visual interest to your contemporary, mid-century modern or transitional home. With Mosaic Window Options for Amarr Heritage, Northwoods, Lincoln, and Olympus steel garage doors SlimLine, short or long panel windows with Clear, Obscure, Frost or Dark Tint glass can be placed in any standard position.\*\* Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations.



\*\*Window design options may vary based on door width.

## QUIET DOOR OPTION

**Enjoy peace and quiet.** The opening and closing of your garage door no longer has to be loud and disruptive. The Amarr Quiet Door Option reduces door operation noise of steel garage doors by up to 38%\*. That's the same noise reduction as going from the sound of a vacuum cleaner to the sound of a running shower.



New and Improved Design

\*Varies by door model.

## STEEL COLORS

See specifications on pages 30 - 31 for color availability by model. Actual paint colors may vary from samples shown.



**Amarr Color Zone**  
Over 800 Sherwin-Williams® Snap-Dry™ paint colors - approved list is at [amarr.com/amarr\\_color\\_zone](http://amarr.com/amarr_color_zone). Check your local Sherwin-Williams store for paint chips.



Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used. Visit [amarr.com](http://amarr.com) for instructions on painting. Non-factory painting of garage door voids the paint finish warranty.

# STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

## SINGLE-LAYER: Steel

Amarr Classica, Heritage, Hillcrest & Lincoln


- Heavy-duty exterior steel
- Durable, reliable, low maintenance



## DOUBLE-LAYER: Steel + Insulation

Amarr Classica, Heritage, Hillcrest & Lincoln




- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation



## TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln & Olympus


- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation



## VERIFIED THERMAL PERFORMANCE

Amarr participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of a complete sectional door assembly.



 This symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating.

### What is U-factor?

U-factor is a measurement of heat transfer or flow through a material, in our case, a sectional door. **A lower U-factor rating indicates less heat transfer and better thermal performance.**




### Why U-factor?

The U-factor values are determined by the testing of a complete door assembly, including insulation, thermal breaks, and window variables and are more accurate than calculated ratings for only a portion of an insulated section.

## FOUR-LAYER: Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation



\* True White Bead Board only.  
 \*\* All panels and colors except True White Bead Board.  
 † True White Short and Flush Panel only.  
 ‡ All panels and colors except True White Short and Flush Panel.

# STEEL SPECIFICATIONS

	NORTHWOODS NW1318	NORTHWOODS NW3000	CLASSICA FLASH CL3000	CLASSICA FULL VIEW CL3000	CLASSICA CL1000	CLASSICA CL2000	CLASSICA CL3000	CARRIAGE COURT CC4000	DESIGNER'S CHOICE DC3138	DESIGNER'S CHOICE DC2000
<b>PANEL DESIGNS</b>										
Short										
Long										
Flush			•							
Ribbed	•	•								
Long Recessed										
Carriage House				Full View	7 Designs	7 Designs	7 Designs	18 Designs	1 Design	3 Designs
<b>CONSTRUCTION LAYERS</b>	3	3	3	3	1	2	3	4	3	3
Steel					•					
Steel + Insulation						•				
Steel + Insulation + Steel	•	•	•	•			•		•	•
Overlay + Steel + Insulation + Steel							•			
<b>DOOR THICKNESS</b>	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)
<b>INSULATION</b>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polyurethane	Polyurethane		Polystyrene <sup>1</sup>	Polyurethane	Polystyrene <sup>1</sup>	Polyurethane	Polyurethane
<b>U-FACTOR</b> 	<b>0.27</b>	<b>0.26</b>	<b>0.22</b>	<b>0.22</b>		<b>0.32</b>	<b>0.22</b>	<b>0.26</b>	<b>0.24</b>	<b>0.19*/0.23**</b>
<b>R-VALUE</b> <sup>2</sup>	6.48	9.05	13.35	13.35 <sup>3</sup>		6.64	13.35	6.48	14.46	19.40*/13.35**
<b>STEEL THICKNESS</b>										
Gauge (ga)	27/27 ga	24/27 ga	25/27 ga	25/27 ga	24 ga	24 ga	25/27 ga	27/27 ga	27/27 ga	27/27 ga
Gauge (mm)	0.42/0.42mm	0.61/0.42mm	0.53/0.42mm	0.53/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm
<b>WOODGRAIN EXTERIOR TEXTURE</b>	•	•	•	•	•	•	•	•	•	•
<b>END STILES</b>	Painted	Painted	Painted	Painted	Galvanized	Galvanized	Painted	Painted	Painted	Painted
<b>THERMAL SEAL</b>									•	•*
<b>BOTTOM WEATHER SEAL</b>										
PVC Retainer	•	•	•	•	•	•	•	•	•	•
T-Slot Vinyl Seal	•	•	•	•	•	•	•	•		•**
<b>GLASS OPTIONS</b>										
Clear 3/32" (0.24cm) Single Strength	•	•							•	•
Clear 1/8" (0.32cm) Tempered 2X Strength			•	•	•	•	•	•		
Obscure	•	•	•	•	•	•	•	•	•	•
Frost	•	•	•	•	•	•	•	•	•	•
Dark Tint	•	•	•	•	•	•	•	•	•	•
Insulated (Clear, Frost & Dark Tint)	•	•	•	•			•	Clear only	•	•
<b>DECORATIVE HARDWARE OPTIONS</b>					•	•	•	•	•	•
<b>EXTERIOR COLOR OPTIONS</b>										
True White (TW)			•	•	•	•	•		•	•
Almond (AL)			•	•	•	•	•			•
Wicker Tan (WK)			•	•	•	•	•			•
Sandtone (ST)			•	•	•	•	•			•
Terratone (TT)			•	•	•	•	•			•
Dark Brown (DN)			•	•	•	•	•			•
Charcoal Gray (EF)			•	•	•	•	•			•
Black (BL)			•	•	•	•	•			•
Golden Oak (OK)					•	•	•			•
Walnut (NT)					•	•	•			•
Mahogany (MY)					•	•	•			•
Dune (DUN) <b>NEW</b>	•	•								
Cedar (CEP)		•								
Coffee (COF) <b>NEW</b>	•	•								
Aspen Gray (AGP)	•	•								
Onyx (ONY) <b>NEW</b>	•	•								
<b>WIND LOAD<sup>4</sup> AVAILABLE</b>	•	•	•	•	•	•	•	•	•	•
<b>PAINT FINISH WARRANTY<sup>5</sup></b>	12 Years	12 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime
<b>WORKMANSHIP/HARDWARE WTY<sup>6</sup></b>	3 Years	Lifetime	Lifetime	Lifetime	3 Years	5 Years	Lifetime	5 Years	5 Years	Lifetime



Verified thermal performance rating per DASMA Thermal Performance Verification Program. See page 31 for more information.

<sup>1</sup> Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.

<sup>2</sup> Calculated door section R-value is in accordance with DASMA TDS-163.

\* True White Bead Board only.

\*\* All panels and colors except True White Bead Board.

† Short Panel True White and Flush Panel True White only.

‡ R-value rating for other colors and panels 13.35 except Short Panel True White and Flush Panel True White; U-factor rating currently unavailable for all other colors and panels.






## H O R I Z O N H O 1 0 0 0

Gain a unique perspective for your home. The Amarr Horizon HO1000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

### CONSTRUCTION



## ALUMINUM

**An Amarr Horizon HO1000 multiview door offers unique styling to match any modern architecture.**

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- **WaterLok** joint and glazing seal system featuring new and improved wide tongue and groove section joints with leading-edge bulb seal and bottom weather seal for enhanced air-tight and water-resistant performance.
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide



Amarr Horizon H01000 with Dark Bronze finish and Frost glass

## DOOR CONFIGURATIONS

### FOR SINGLE PANE GLAZING

Up to 8'2" WIDE - 1 Panel



8'3"-16'2" WIDE - 2 Panels



16'3"-20'2" WIDE - 3 Panels



### FOR INSULATED GLAZING


Up to 10'2" WIDE - 2 Panels



10'3"-16'2" WIDE - 3 Panels



16'3"-20'2" WIDE - 4 Panels



#### FOR SINGLE PANE GLAZING

Door Width	# Center Stiles	# Windows/Section
Up to 8' 2"	0	2
8' 3" - 16' 2"	1	4
16' 3" - 20' 2"	2	6

#### FOR INSULATED GLAZING

Door Width	# Center Stiles	# Windows/Section
Up to 10' 2"	1	4
10' 3" - 16' 2"	2	6
16' 3" - 20' 2"	3	8

# ALUMINUM OPTIONS

## COLORS

Actual color may vary from samples shown.

### IN STOCK

#### ANODIZE



CLEAR (AN)

DARK BRONZE (AD)

BLACK (BA)

#### PAINT



WHITE Powder Coat (WH)

### SPECIAL ORDER

#### ANODIZE



CHAMPAGNE (AH)

COPPER (AC)

MEDIUM BRONZE (AM)

Longer lead time and price upcharge apply.

#### PAINT

PVDF (Kynar®) & Powder Coat

Longer lead time and price upcharge apply.



\*PVDF only.



Longer lead time and price upcharge apply.

	PVDF (Kynar®)	Powder Coat
FADE RESISTANT	++	+
CORROSION RESISTANT	++	+
UV RESISTANT	++	+
ABRASION RESISTANT	+	++
STANDARD COLORS	26	21
RAL/CUSTOM COLORS PRICE UPCHARGE	\$	\$\$
TOUCH-UP PAINT	Included	NOT included

## GLAZING OPTIONS

	SINGLE PANE								
	Annealed*			Tempered					
	1/8"	1/8" Low-E	1/8"†	1/8" Low-E†	3/16"‡	3/16" Low-E‡	1/4"	1/4" Low-E	1/2"
CLEAR	•	•	•	•	•	•	•	•	•
OBSCURE	•		•		•		•		•
GREEN TINT	•		•		•		•		•
BRONZE TINT	•		•		•		•		•
GRAY TINT	•		•		•		•		•
GREYLITE	•		•		•		•		•
FROST	•		•		•		•		•
SNOW									
WHITEOUT									
BLACKICE									

\*Vista V11000 only.

†Vista V11000 only.

‡Horizon H01000 only.

Visit [amarr.com](http://amarr.com) and access the Amarr Door Designer to view specific designs in various architectural styles.

## GLASS

Glass is tempered and available as single pane or insulated.



†Laminated, not tempered.  
Insulated glass not available.

## WARRANTY

- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 5-year warranty on finish (RAL & Custom Paint 3 Years)

Annealed	DUAL PANE			Laminated	Polycarbonate			SINGLE PANE Acrylic		
	1/2" Low-E	Tempered			Single 1/8"	Single 1/4"	Tri-Wall 5/8"	1/8"	1/4"	1/2"
	•	•	•		•	•	•	•	•	•
	•	•	•							
	•	•	•				•			
	•	•	•							
	•	•	•				•			
	•	•	•				•			
				•						
				•						
				•						




## VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection.

From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

### CONSTRUCTION



## ALUMINUM

**An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.**

- 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- **WaterLok** joint and glazing seal system featuring new and improved wide tongue and groove section joints with leading-edge bulb seal and bottom weather seal for enhanced air-tight and water-resistant performance.
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- Available in 21" and 24" section heights; and 18" for odd height doors
- Wind load options available to meet local building codes
- Attractive, modern exterior handles (2) included



20' x 10' Amarr Vista with Clear Anodize frame and Obscure glass

## PANEL CONFIGURATION

8' & 9' WIDE – 2 Panels



16' WIDE – 4 Panels



10' WIDE – 3 Panels



18' WIDE – 5 Panels




## DOOR HEIGHT CONFIGURATION

8' (4 tall)



10' (5 tall)



12' (6 tall)




## OPTIONAL PANELS

ALUMINUM & INSULATED ALUMINUM




Shown in Clear Anodized.

PERFORATED ALUMINUM



0.312" square perforations  
on 1/2" centers

LOUVERED ALUMINUM



6 columns of (12) 3"x 3/4" vents  
on a 4'x24" panel  
Shown in White Powder Coat

# ALUMINUM SPECIFICATIONS

	<b>HORIZON H01000</b>
<b>FRAME CONSTRUCTION</b>	2" thick aluminum
<b>SECTION HEIGHTS</b>	Varies by door height
<b>DOOR WIDTHS</b>	2' – 20' 2" (in 1" increments)
<b>DOOR HEIGHTS</b>	6' – 20' 1"
<b>CLEARVIEW STRUT SYSTEM</b>	Only required for doors ≥16'
<b>COLORS</b>	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
<b>GLASS</b>	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
<b>WIND LOAD<sup>1</sup> AVAILABLE</b>	•
<b>FINISH WARRANTY<sup>2</sup></b>	5 Years (RAL & Custom Paint 3 Years)
<b>WORKMANSHIP WARRANTY<sup>2</sup></b>	5 Years
<b>HARDWARE WARRANTY<sup>2</sup></b>	5 Years

	<b>VISTA V11000</b>
<b>FRAME CONSTRUCTION</b>	2" thick aluminum
<b>SECTION HEIGHTS</b>	21" and 24"; 18" for odd height doors
<b>CLEARVIEW STRUT SYSTEM</b>	Only required for doors ≥16'
<b>COLORS</b>	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
<b>GLASS</b>	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
<b>OPTIONAL PANELS</b>	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated
<b>WIND LOAD<sup>1</sup> AVAILABLE</b>	•
<b>FINISH WARRANTY<sup>2</sup></b>	5 Years (RAL & Custom Paint 3 Years)
<b>WORKMANSHIP WARRANTY<sup>2</sup></b>	5 Years
<b>HARDWARE WARRANTY<sup>2</sup></b>	5 Years


<sup>1</sup> It is your responsibility to make sure your garage door meets local building codes.

<sup>2</sup> For complete warranty details contact your local Amarr dealer.

## HARWARE SPECIFICATIONS

<b>TRACK</b>	2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 2SC-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs, 3" track.
<b>HINGES</b>	Up to 12': Single-end 11ga graduated galvanized. 12' and over: Double-end 11ga graduated galvanized.
<b>ROLLERS</b>	2" nylon 10-ball bearing commercial rollers (short stem for up to 12'; long stem for 12' and over).
<b>STRUTS</b>	3" galvanized struts
<b>COUNTER BALANCE</b>	10,000 cycle torsion springs, cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length.
<b>FASTENERS</b>	Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).
<b>OPERATION</b>	Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have limitations. Contact your local Amarr dealer for specific details.



9' x 7' Amarr Vista with Copper Anodize frame and Clear glass



Amarr Classica Northampton design in True White with Thames window inserts



**Our Philosophy.** Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit [amarr.com](http://amarr.com) for additional products distributed by Amarr Company, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.

**Amarr Company**

165 Carriage Court  
Winston-Salem, NC 27105  
800.503.DOOR  
[www.amarr.com](http://www.amarr.com)



Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSAABLOY.

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©ASSAABLOY Printed in USA Form # 6010725/8M/SPR

Your Local Amarr Dealer: